

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1502	370/338,913.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:03
L2	578	L1 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:21
L3	18	L2 and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:03
L4	46	L2 and (master and slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:33
L5	9058	harris.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:34
L6	6573	L5 and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:34
L7	36	L6 and cluster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:37
L8	208	L6 and (master or slave or cluster or clusterhead)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:37
S1	72977	cluster\$	US-PGPUB; USPAT	OR	OFF	2004/03/22 10:14
S2	18	(370/328.ccls. and @ay<"2001") and cluster\$	US-PGPUB; USPAT	OR	OFF	2003/11/14 09:06
S3	329	370/328.ccls. and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/14 09:06
S4	1	("5850592").PN.	USPAT; USOCR	OR	OFF	2003/11/17 08:34

S5	1	("6026297").PN.	USPAT; USOCR	OR	OFF	2003/11/17 08:36
S6	1	("5652841").PN.	USPAT; USOCR	OR	OFF	2003/11/17 08:38
S7	1	("6026303").PN.	USPAT; USOCR	OR	OFF	2003/11/17 08:42
S8	1	("6014406").PN.	USPAT; USOCR	OR	OFF	2003/11/17 08:46
S9	372	370/254.ccls. and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 08:47
S10	724	discovery same nodes	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 08:48
S11	16	(370/254.ccls. and @ay<"2001") and (discovery same nodes)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 09:06
S12	148	370/255.ccls. and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 09:32
S13	710	370/449.ccls. and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 09:33
S14	3	master with slave with node with discovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 09:40
S15	7	master same slave same node same discovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 09:42
S16	46917	master same slave	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 09:42

S17	143	(370/449.ccls. and @ay<"2001") and (master same slave)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 09:57
S18	38	370/457.ccls. and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 10:05
S19	13	bits same node same discovery	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 10:12
S20	57	(bits with packet\$)same mode same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 10:31
S21	499	transmit same receive same mode same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 10:31
S22	16210	bits same packet\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 10:32
S23	102	(transmit same receive same mode same node) and (bits same packet\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 10:32
S24	80	((transmit same receive same mode same node) and (bits same packet\$)) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 10:51
S25	13509	clustering	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 10:51
S26	2006	master same slave same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 10:52

S27	30	clustering and (master same slave same node)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 11:10
S28	90	(transmit adj state or receive adj state) with node\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 11:21
S29	77	((transmit adj state or receive adj state) with node\$) and @ay<"2001"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 11:13
S30	22	slave same master same inquiry same node	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2003/11/17 12:05
S31	363	Perlman.IN.	USPAT	OR	OFF	2003/11/17 14:27
S32	70583	"370"/\$	US-PGPUB; USPAT	OR	OFF	2003/11/17 14:29
S33	90	Perlman.IN. and "370"/\$	US-PGPUB; USPAT	OR	OFF	2003/11/18 15:28
S34	57	(master same slave) and (node same discovery)	US-PGPUB; USPAT	OR	OFF	2003/11/17 15:01
S35	29	((master same slave) and (node same discovery)) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/17 15:18
S36	10708	"370"/\$ and "709"/\$	US-PGPUB; USPAT	OR	OFF	2003/11/17 15:18
S37	1013	node\$ same discovery	US-PGPUB; USPAT	OR	OFF	2003/11/17 15:19
S38	10032	("370"/\$ and "709"/\$) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/18 08:20
S39	126	(node\$ same discovery) and ("370"/\$ and "709"/\$) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/18 11:25
S40	10076	("370"/\$ and "709"/\$) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/18 08:20
S41	2232	parent same child same node	US-PGPUB; USPAT	OR	OFF	2003/11/18 08:21
S42	140	((("370"/\$ and "709"/\$) and @ay<"2001") and (parent same child same node)	US-PGPUB; USPAT	OR	OFF	2003/11/18 08:48
S43	41725	transmit\$ same receive\$ same mode	US-PGPUB; USPAT	OR	OFF	2003/11/18 08:49

S44	1056	((("370"/\$ and "709"/\$) and @ay<"2001") and (transmit\$ same receive\$ same mode)	US-PGPUB; USPAT	OR	OFF	2003/11/18 08:50
S45	21773	master same slave	US-PGPUB; USPAT	OR	OFF	2003/11/18 08:50
S46	157	((("370"/\$ and "709"/\$) and @ay<"2001") and (transmit\$ same receive\$ same mode)) and (master same slave)	US-PGPUB; USPAT	OR	OFF	2003/11/18 08:50
S47	259	packet\$ same bits same state\$ same node\$	US-PGPUB; USPAT	OR	OFF	2003/11/18 11:27
S48	190	(packet\$ same bits same state\$ same node\$) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/18 11:27
S49	1013	discovery same node\$	US-PGPUB; USPAT	OR	OFF	2003/11/18 15:28
S50	10076	("370"/\$ and "709"/\$) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/18 15:29
S51	126	(discovery same node\$) and ((("370"/\$ and "709"/\$) and @ay<"2001")	US-PGPUB; USPAT	OR	OFF	2003/11/18 16:13
S52	0	active adj mode adj device adj address\$	US-PGPUB; USPAT	OR	OFF	2003/11/18 16:14
S53	15	active adj mode adj address\$	US-PGPUB; USPAT	OR	OFF	2003/11/18 16:17
S54	122	(park\$ or unpark\$) with slave\$	US-PGPUB; USPAT	OR	OFF	2003/11/18 16:18
S55	65	((park\$ or unpark\$) with slave\$) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/18 16:18
S56	0	active adj mode adj device adj address\$	US-PGPUB; USPAT	OR	OFF	2003/11/19 09:16
S57	96	"L_ADDR"	US-PGPUB; USPAT	OR	OFF	2003/11/19 09:19
S58	220	park\$ with node\$	US-PGPUB; USPAT	OR	OFF	2003/11/19 09:19
S59	152	(park\$ with node\$) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/19 09:25
S60	58	AM adj ADDR	US-PGPUB; USPAT	OR	OFF	2003/11/19 09:32
S61	43	active adj member adj address	US-PGPUB; USPAT	OR	OFF	2003/11/19 09:33
S62	9	(active adj member adj address) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/19 10:03
S63	55	bernoulli adj trial\$	US-PGPUB; USPAT	OR	OFF	2003/11/19 10:04
S64	44	(bernoulli adj trial\$) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/19 10:15

S65	18	((bernoulli adj trial\$) and @ay<"2001") and node\$	US-PGPUB; USPAT	OR	OFF	2003/11/19 10:16
S66	5140	bernoulli	US-PGPUB; USPAT	OR	OFF	2003/11/19 14:14
S67	3873	bernoulli and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/19 14:14
S68	314	bernoulli same configur\$	US-PGPUB; USPAT	OR	OFF	2003/11/19 14:22
S69	30	bernoulli same configur\$ same network	US-PGPUB; USPAT	OR	OFF	2003/11/19 14:16
S70	26	(bernoulli same configur\$ same network) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/19 14:16
S71	31	bernoulli same node	US-PGPUB; USPAT	OR	OFF	2003/11/19 14:22
S72	19	(bernoulli same node) and @ay<"2001"	US-PGPUB; USPAT	OR	OFF	2003/11/19 14:50
S73	12	(scan adj window) same inquiry	US-PGPUB; USPAT	OR	OFF	2003/11/19 14:51
S74	11623	"370"/\$ and "709"/\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/22 10:30
S75	918	("370"/\$ and "709"/\$) and (master\$ and slave\$)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/22 10:31
S76	873	((("370"/\$ and "709"/\$) and (master\$ and slave\$)) and (@ad<"20000808" or @rlad<"20000808"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 11:37
S77	876	((("370"/\$ and "709"/\$) and (master\$ and slave\$)) and (@ad<"20000808" or @rlad<"20000808"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:16
S78	1	((("370"/\$ and "709"/\$) and (master\$ and slave\$)) and (@ad<"20000808" or @rlad<"20000808")) and bernoulli	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 11:39
S79	61	bernoulli adj trial\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 11:40

S80	54	(bernoulli adj trial\$) and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 11:41
S81	876	((("370"/\$ and "709"/\$) and (master\$ and slave\$)) and (@ad<"20000808" or @rlad<"20000808"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:16
S82	283	((("370"/\$ and "709"/\$) and (master\$ and slave\$)) and (@ad<"20000808" or @rlad<"20000808")) and window\$	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:49
S83	10221	Bluetooth	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:50
S84	1333	Bluetooth and (@ad<"20000808" or @rlad<"20000808")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/24 15:51
S85	272	(Bluetooth and (@ad<"20000808" or @rlad<"20000808")) and window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/18 11:02